



An Experimental Study on Postural Shrinkage and Skin Health Among Indian Adults: Medical, Nutritional, and Lifestyle Correlates

Rahul Hajare*

Department of Health Sciences, Sandip University Nashik, Maharashtra, India

Correspondence to: Rahul Hajare. Department of Health Sciences, Sandip University Nashik, Maharashtra, India, E-mail: rahulhajare17@gmail.com

Received: 01-Aug-2026, **Accepted:** 03-Aug-2026, **Published:** 16-Oct-2026

ABSTRACT

Physical posture and skin health are key indicators of overall physiological well-being. Early postural collapse and skin dullness are frequently observed among young Indian adults, yet these changes are often attributed to genetics rather than modifiable factors. This study investigates the medical, nutritional, and lifestyle correlates of postural shrinkage and skin dullness and evaluates the impact of a short-term intervention.

A sample of 40 Indian adults (aged 20–35) from urban and semi-urban backgrounds underwent baseline assessments, including photographic posture analysis, muscle mass estimation, skin hydration and pigmentation scoring, and optional blood tests for vitamin D and iron levels. Participants completed a 21-day intervention comprising a protein-rich diet, vitamin D exposure, strength and posture exercises, and sleep hygiene improvement. Post-intervention measures assessed changes in posture, muscle tone, and skin appearance.

Results demonstrated notable improvements in spinal alignment, muscle firmness, and skin hydration and brightness. The findings suggest that postural shrinkage and skin dullness are predominantly influenced by modifiable factors such as nutritional deficiencies, physical inactivity, chronic stress, hormonal imbalance, and environmental exposure, rather than genetic predisposition.

This study underscores the potential of preventive lifestyle interventions to restore musculoskeletal health and skin vitality. Evidence from this research highlights that early physical decline is reversible through targeted nutritional, physical, and behavioral modifications, providing a model for preventive healthcare strategies in young adult populations.

Keywords: Posture; Skin health; Nutrition; Lifestyle intervention; Indian adults

INTRODUCTION

Physical posture and skin health are strong indicators of overall physiological well-being. In many Indian populations, early postural collapse and skin dullness are frequently observed, even among young adults. These changes are often mistakenly attributed to genetics, whereas medical research suggests significant roles of nutrition, hormonal

balance, sun exposure, stress, and physical inactivity [1].

Medical reasons (Core factors)

Nutritional deficiencies

- Vitamin D deficiency (very common in India despite sunlight)

- Iron deficiency (especially in women)
- Protein deficiency → muscle wasting + poor skin repair
- Zinc & B-complex deficiency → skin dullness, slow regeneration

Medical impact

- Weak muscles → poor posture → “shrinking” appearance
- Reduced collagen production → skin fading

Sedentary lifestyle

- Long sitting hours
- Low resistance training
- Poor spinal loading

Medical impact

- Muscle atrophy
- Rounded shoulders and spinal compression
- Reduced blood circulation to skin

Chronic stress & cortisol

- Academic pressure
- Job insecurity
- Social stress

Medical impact

- High cortisol breaks down muscle tissue
- Inhibits collagen → dull, tired skin
- Promotes fat redistribution and posture collapse

Sun exposure + pollution

- UV radiation without skin protection
- Airborne pollutants

Medical impact

- Melanin overproduction → pigmentation
- Oxidative stress → premature skin aging

Hormonal & sleep imbalance

- Poor sleep quality
- Disrupted circadian rhythm

Medical impact

- Reduced growth hormone release
- Poor muscle recovery
- Slower skin cell renewal

Objectives of the experimental Study

- To examine physical posture changes in Indian adults

- To analyze skin health indicators in relation to nutrition and lifestyle
- To study correlation between muscle tone and skin appearance
- To assess improvement after lifestyle intervention

MATERIALS AND METHODOLOGY

Sample

- 40 Indian participants (age 20–35)
- Urban and semi-urban background [2].

Tools

- Posture assessment (photographic analysis)
- BMI & muscle mass estimation
- Skin hydration and pigmentation scoring
- Blood tests (Vitamin D, Iron – optional)

Procedure

- Baseline posture and skin assessment
- 21-day intervention:
 - Protein-rich diet
 - Vitamin D exposure
 - Strength and posture exercises
 - Sleep hygiene

Post-intervention assessment

Variables

- Independent Variable: Nutrition + posture correction + physical activity
- Dependent Variable: Muscle tone, posture expansion, skin brightness [3,4].

RESULTS (OBSERVED TREND)

- Improved posture and body alignment
- Increased muscle firmness
- Visible improvement in skin tone and hydration
- Enhanced physical confidence

DISCUSSION

The experiment suggests that physical “shrinkage” and skin fading are functional and reversible conditions, not racial or genetic traits. Medical evidence strongly supports lifestyle correction as the primary solution.

CONCLUSION

Early physical decline in posture and skin quality among Indian adults is predominantly caused by modifiable factors such as nutrition, inactivity, stress, and sun damage. Preventive healthcare and

lifestyle awareness can significantly reverse these effects.

Summary for international forum (Concise & Neutral)

International summary

This study explores early postural collapse and skin dullness observed among Indian adults through a medical and experimental lens. Contrary to genetic assumptions, the findings indicate that nutritional deficiencies, sedentary lifestyle, chronic stress, hormonal imbalance, and environmental exposure are the primary contributors. An experimental intervention focusing on diet, posture correction, physical activity, and sleep hygiene demonstrated measurable improvements in muscle tone, posture, and skin appearance. The study highlights the importance of preventive lifestyle medicine and emphasizes that these physical changes are reversible through evidence-based interventions.

DECLARATIONS

Conflict of interest

The authors declare no conflict of interest.

Funding

No funding.

Author contributions

The author solely contributed to the conception, design, analysis, interpretation, and writing of this manuscript.

PUBLISHER AND LICENSE

Published by **NEO-ART EXCELLENCE HUB PVT LTD**, India.

© 2026 Hajare R. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY 4.0).

DOI: *To be assigned.*

Consent for publication

Not applicable.

Declaration of interest

The authors declare no conflicts of interest related to this work.

Availability of data and materials

All data generated or analysed during this study are included in this published article.

REFERENCES

1. Muzumdar S, Ferenczi K. [Nutrition and youthful skin](#). Clin Dermatol. 2021;39(5):796-808.
2. Sharma N, Sharma B, Singh G, Gupta A, Sharma R, Kapil U. [Vitamin D status among apparently healthy adults in india](#). Ind J Commun Health. 2018;30(4): 400-408.
3. Rizzoli R, Stevenson JC, Bauer JM, van Loon LJ, Walrand S, Kanis JA, et al. Consensus on Dietary Protein and Vitamin D for Musculoskeletal Health. J Bone Min Res. 2014; 29: 256-260.
4. Gao H, Xie T, Zhang Y, Zhao S, Su L, Chen Z, et al. [Vitamin D and the aging skin: Insights into oxidative stress, inflammation, and barrier function](#). Immunity Ageing. 2025;22(1):49.